



RoHS/Halogen Free Compliant MF72-SCN8D-20 142 MW/C NTC for Through Hole Mounting

Our Product Introduction

for more products please visit us on socaydiode.com

Basic Information

- Place of Origin: SHENZHEN GUANGDONG, CHINA
- Brand Name: SOCAY
- Certification: UL, REACH, ROHS, ISO
- Model Number: MF72-SCN8D-20
- Minimum Order Quantity: 250 PCS
- Price: Negotiable
- Packaging Details: Bulk
- Delivery Time: 5-7 days
- Payment Terms: T/T, Paypal, Western Union, Money gram
- Supply Ability: 250,000 PCS Per Month



Product Specification

- Enterprise Type: Co., Ltd
- Thickness: 6 Mm
- Dissipation Factor Df: 142 MW/
- Material: Radial Lead Resin Coated
- Mounting: Through Hole
- Standard: RoHS & Halogen Free (HF) Compliant
- Tolerance: $\pm 20\%$
- Rated Resistance: 8 Ohm
- Highlight: NTC Thermistor MF72-SCN8D-20, Through Hole Mounting NTC Thermistor, 142 MW/C NTC



More Images



Product Description

Product Description:

The NTC thermistor has a dissipation factor Df of 24 MW/ , which means that it can efficiently dissipate heat and maintain its stability over a wide range of temperatures. It has a radial termination style, which makes it easy to install and use in a variety of different applications. The NTC thermistor has a tolerance of $\pm 20\%$, which means that it can accurately measure temperature changes within this range. Its thickness of 6 mm makes it a compact and space-saving option for applications where space is limited.

Whether you need to measure temperature in industrial automation, automotive, or medical applications, our NTC thermally sensitive device is a reliable and accurate option that can help you get the job done right. Its high sensitivity and fast response time make it ideal for applications where quick and accurate temperature measurements are critical.

Features:

Product Name: NTC Thermistor

Thermometric Resistor

Thermosensitive Transducer

Thermal Resistor Element

Features:

Wide Operating Temperature Range

Mounting: Through Hole

Dissipation Factor Df: 142 MW/

Body size: $\Phi 20\text{mm}$

Operating temperature range: $-40\sim+200$

Technical Parameters:

Product Attribute	Value
Enterprise Type	Co.,Ltd
Standard	RoHS & Halogen Free (HF) Compliant
Body size	$\Phi 20\text{mm}$
Quality	High Quality
Mounting	Through Hole
Material	Radial Lead Resin Coated
Rated Resistance	8 Ohm
Dissipation Factor Df	142 MW/
Termination Style	Radial
Thickness	6 Mm
Product Description	Thermosensitive Transducer, Thermometric Resistor, Thermal Resistor Element

Applications:

Whether you need to measure temperature in HVAC systems, automotive applications, or industrial machinery, the SOCAT NTC Thermistor is an ideal solution. Its radial termination style and resin-coated material make it easy to install and handle, while the $-40\sim+200$ operating temperature range ensures accurate and reliable readings in a variety of environments.

With a minimum order quantity of 250PCS, this product is highly customizable to your specific needs. Our negotiable price and bulk packaging details make it an affordable and convenient option for businesses of all sizes, while our fast delivery time of 5-7 days ensures that you can get your products when you need them.

At SOCAT, we pride ourselves on being a Co., Ltd enterprise that produces only the highest quality products. Our NTC Thermistor is no exception, with its thermometric resistor design providing accurate and reliable temperature readings. And with a supply ability of 250,000PCS per month, we can meet the demands of even the largest businesses.

So whether you need a reliable NTC temperature probe for your industrial machinery or a thermosensitive transducer for your automotive applications, choose the SOCAT MF72-SCN8D-20 NTC Thermistor. With its high-quality design and top-notch certifications, you can trust that you're getting the best product on the market.

Order now and take advantage of our flexible payment terms, including T/T, Paypal, Western Union, and Money Gram. Contact us today to learn more about how the SOCAT NTC Thermistor can benefit your business.

Customization:

Support and Services:

Our NTC thermistor product comes with a comprehensive technical support and services package to ensure that you get the most out of your product. Our team of experts is available to answer any questions you may have about installation, maintenance, or troubleshooting. We also offer calibration services to ensure that your NTC thermistor is providing accurate temperature readings. Additionally, we provide repair and replacement services for any defective products.

Our goal is to provide you with the highest level of customer satisfaction, and we are committed to delivering top-quality technical support and services for our NTC thermistor product.

Packing and Shipping:

Product Packaging:

The NTC thermistor product will be packaged in a protective plastic bag to prevent any damage during transportation.

The plastic bag will be placed in a cardboard box for extra protection.


The cardboard box will be labeled with the product name, quantity, and any necessary handling instructions.

Shipping:

The product will be shipped via reputable courier services.

The shipping cost will be calculated based on the weight and destination of the package.

The estimated delivery time will be provided upon checkout and may vary depending on the destination.



 **Shenzhen Socay Electronics Co., Ltd.**



+8618126201429



sylvia@socay.com



socaydiode.com

4/F, Block C, HeHengXing Science & Technology Park, 19 MinQing Road, LongHua District, Shenzhen City,
GuangDong Province, China